

Installation Guide

Steering wheel control Interface


Mitsubishi Rockford **CTUMT01** Video Steering Wheel Interface Control




1 Remove head unit from vehicle.




2 Connect the interface to the head unit, connecting cable **A** to the rear view camera input, on the head unit.



3 Connect the head unit connection lead as shown.



4 Connect the Rear View Camera input to the interface as indicated (*Optional if reverse camera fitted*).



Once the unit is fitted please configure the steering wheel, by following the instructions on the next page.



Installation Guide

Steering wheel control Interface

Mitsubishi Rockford **CTUMT01** Video Steering Wheel Interface Control



Menu Configuration Option

Press and hold the Mode and seek + button together till the menu is displayed. Now release the mode button and hold the seek + button for a further 5 sec's, this will reveal menu options. By pressing button 1/2 it will adjust the setting and the mode button will select the next option.






**1
2
3**

**1 = Seek Up
2 = Seek Down
3 = Mode Button**



**Note : Old SWC are vehicles pre 2010
New SWC are vehicles post 2010**



Operation Guide

Part No: CTUMT01 Mitsubishi Video Steering Wheel Control Interface



- 1 = Seek Up**
- 2 = Seek Down**
- 3 = Mode Button**

1. Press & hold **Mode button (3)** until menu Option is displayed.

2. Pressing **Seek up/down (buttons1/2)** will adjust the Settings.

3. Pressing the **mode button** again will select the next menu option.

note:

there only 3 menu options are available.

